



1/4 INCH x 3600 FEET
(6.35mm x 1100m)
SILICONE LUBRICATED
.5 MIL POLYESTER BACKING

290

7 INCH REEL · SPLICE FREE · PROFESSIONAL TRIPLE LENGTH • TENSILIZED



(-//Approved For Rejease 2002/10/25: CIA-RDP71B90297R9002000380206								
BRIEFING 005-22	5							
DEBRIEFING 240 - 35/								

TIME CHART	RECORDING BOTH DIRECTIONS									
	150 FT.	300 FT.	600 FT.	900 FT.	1200 FT.	1800 _, FT.	2400 FT.	3600 FT.		
1% IPS	30 min.	1 hr.	2 hrs.	3 hrs.	4 hrs.	6 hrs.	8 hrs,	12 hrs.		
3¾ IPS	15 min.	30 min.	60 min.	1½ hrs.	2 hrs.	3 hrs.	4 hrs.	6 hrs.		
7½ IPS	7½ min.	15 min.	30 min.	45 min.	l hr.	1½ hrs.	2 hrs.	3 hrs.		



NOTICE: The following is made in lieu of all warranties, express or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Seller and manufacturer shall not be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith. The foregoing may not be

Changed except by an agreement signed by officers of seller and manufacturer.

THE TERM "SCOTCH" AND THE PLAID DESIGN ARE REGISTERED TRADEMARKS OF MINNESOTA MINING AND MANUFACTURING COMPANY, ST.
PAUL, MINNESOTA 55119.

TAPE PATENTED UNDER ONE OR MORE U.S. PATENTS: 2654681, 2711901.

MAGNETIC PRODUCTS DIVISION 3M COMPANY

Approved For Release 2002/10/25: CIA-RDP71B00297R000200030020-6

Approved For Release 2002/10/25 : CIRARDET 4B0029BR000200030020-6 Approved For Release 2002/10/25 : Cla